SOILS LEGENDS

Prime Farmland

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

Dallas County, Iowa

Map symbol	Soil name
7	 Wiota silt loam, 1 to 3 percent slopes
8B	Judson silty clay loam, 2 to 5 percent slopes
11B	Colo-ely silty clay loams, 2 to 5 percent slopes (Prime farmland if drained)
27B	Terril loam, 2 to 5 percent slopes
55	Nicollet loam, 1 to 3 percent slopes
76B	Ladoga silt loam, 2 to 5 percent slopes
80B	Clinton silt loam, 2 to 5 percent slopes
88	Nevin silty clay loam, 0 to 2 percent slopes
95	Harps loam, 0 to 2 percent slopes (Prime farmland if drained)
107	Webster silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
133	Colo silty clay loam, 0 to 2 percent slopes (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
135	Coland clay loam, 0 to 2 percent slopes (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
138B	Clarion loam, 2 to 5 percent slopes
168B	Hayden loam, 2 to 5 percent slopes
169B	Clarion loam, 2 to 5 percent long slopes
175B	Dickinson fine sandy loam, 1 to 5 percent slopes
201B	Coland-terril complex, 2 to 5 percent slopes (Prime farmland if drained)
203	Cylinder loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes
220	Nodaway silt loam, 0 to 2 percent slopes
259	Biscay clay loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes (Prime farmland if $ $ drained)
308	Wadena loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes
308B	Wadena loam, 32 to 40 inches to sand and gravel, 2 to 5 percent slopes
325	Le sueur loam, 0 to 2 percent slopes
368	Macksburg silty clay loam, 0 to 2 percent slopes
370B	Sharpsburg silty clay loam, 2 to 5 percent slopes
485	Spillville loam, 0 to 2 percent slopes (Prime farmland if protected from flooding or not frequently flooded during the growing season)
507	Canisteo silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
536	Hanlon fine sandy loam, 0 to 2 percent slopes
566B	Moingona loam, 2 to 6 percent slopes
736B	Lester loam, 2 to 5 percent long slopes

USDA-NRCS, IOWA 04/10/2002